P.12

Previous references

2285-03

1904-05

(Education)

File No 287-04

Serial Nos 1—4

Later references

GENERAL AND REVENUE SECRETARIAT

Serial Nos 1—4

Part B for July 1905

SUBJECT

Construction of a pipe Sluice to Convey water from the Hulhalli Channel to a farm of 2 acres attached to Taluq Kannada School at Nayanagode

FILE No 287 of 1904-05

	Contents of each paper and how disposed of
1	From the Executive Engineer, Dharwar, No 8697—539, dated 28th March 1905. Requesting to sanction the construction of a pipe sluice to convey water from the Hulhalli Channel to a farm of 2 acres attached to Taluq Kannada School at Nayanagode. Submitting plan and estimate for Rs 900. Forwarded to the Director of Public Instruction for opinion and report.
2	From the Director of Public Instruction, No 9001—L. F. 8 03, dated 18th February 1904. Stating that the proposal is a good one and that the Collector of Dharwar has been requested to grant the land free of assessment. Forwarded to the Executive Engineer, Dharwar, for information.
3	From the Executive Engineer, Gadag, No 38—, dated July 1905. Stating that the pipe sluice has been completed at a cost of Rs 1,000 and that the land has been granted free of assessment.
4	From the Executive Engineer, Dharwar, No 1191, dated July 1905. Stating that the Collector of Dharwar has granted the land free of assessment.

G R S

G R S 11] 1904—5

GENERAL AND REVENUE SECRETARIAT

(Education)

NOTES

File No 287-04

FILE HEADING

Construction of a pipe sluice to convey water from the Hullahally Channel to a farm of 2 acres attached to the Taluk Kannada School at Nanjangud

From The Inspector General of Education in Mysore

No 8697/535 Dated 28/3/05 Received 1/4/05

Diary No 6733 | Enclo | Spare Copies | Serial No /

BRIEF ABSTRACT OF LETTER

Requests that sanction may be accorded to the construction of a pipe sluice by the P W D costing Rs 25 to convey water from the Hullahally Channel to a farm of 2 acres attached to the Taluk Kannada School at Nanjangud and to the free use of water thus drawn for the purpose of teaching practical agriculture

NOTES AND ORDERS

The cost of constructing the pipe sluice of 1" diameter is estimated at Rs 25—

The Inspector General requests that sanction may be accorded to its construction by D P W and to the

No 1 First sheet

MGCP I—100-1

GRS 12]
General and Revenue
Secretariat

File No 287 of 1904

Serial No 1

grant of water free for the farm — Chief Engineer be consulted in officially.

4/4/05

Moffl Reg No 10698/4/05 6/4/05
forwarded to the Secy to Govt in the P W D for favor of opinion
8-4-1905
Secretary
Secy to Govt in the P W D

Moffl 9103/7 P W D 7/10 3 05

I have no objection to the proposal
W D W Hutchens
Secretary to Govt
P W D

10/4/05
11-4-05

Submitted with the file re: the agricultural Farm attached to the School referred to in para 2 of G O No 2907-15 L F 85-03 dt 8th February 1904 the attention of the I G was drawn to the difficulty of water to irrigate the lands in question, the construction of a sluice to draw water from the Hullahally channel

15/4/05

Recommended

17/4/05

Flag B

Note—Continued

MGCPB— 0000—1 11 04

Serial No 1

being impracticable as the lands ~~channel~~ are situated in a higher level than the bed of the channel. Such being the case it is not clear how the water can be drawn now. May the D.G's attention be drawn to the above G.O & may he be requested to state whether it would not be possible to draw water from the channel for the Same farm Subd with a draft

Kist of 20/4/05

WB
Wilcox

Passed
2nd 4/1905

2 To the D.G. of Ests No 9805 of 25/4/05. Invites his attention to G.O No 2907-15/L.F 85-03 of 8/2/04 in which the impracticability of drawing water from the Hullahally channel for irrigating the farm in question was pointed out and enquires how it would now be possible to draw water from the same channel and why he did not refer to the above order when he made the present reference

NOTE—Contn sl eet

GPS 12]
General and Revenue Secretariat

File No 287 of 1904

Serial No 3

From - Do - No 38/6 Dt 3/7/05
States that though the ~~bed of the~~ farm is on a higher level than the bed of the channel yet it is possible to draw water by erecting a pipe sluice at a height of about 2 feet from the bed and requests sanction to his proposal

The PW Secretary who was Consulted in the matter has no objection to carry out the Dy C's proposal

Solicit ~~orders on a draft~~ for orders as to whether the file may be transferred to PW Secretariat for needful action as the pipe sluice has to be constructed from the funds at the disposal of the PWD -

7/7/05 (Sgd)

DD
8/7/05

832
Ed(287-04)-4 dt 7/7/05 Forwarded to the Secy in the P W D for favor of further action 8/7/1905

Secy

GIP-Co t st t

MCGPB- 0 000-17 2 05

G B S 12]
General and Revenue Secretariat

File No 287 of 1904

Serial No	
V	Rec'd offl No 37/P.W.D. 20/7-05 The Supdg Engr Western Circle has been instructed to put on the above referred to H D'Vahlenkamp 20/7/05 Secretary to Govt P W Deptt
Rec'd 24/7/05	
Rec'd 26/7/05	Submitted with a draft reply to the Dpty Comr of Coorg in Mysore H D'V 27/7/05 Passed 29/7/05
4	To the Dpty Comr of Coorg No 1199 dt 31/7/05 States that the Secy to Govt in the P W D has taken the necessary action in the matter

MGCPT— 0000—17-2-05

D6733 Edl 287-04 Sl1

[Edu. 81]

No. 3697/539

OFFICE OF INSPECTOR GENERAL OF EDUCATION IN MYSORE
Bangalore 28th March 1905

From

H. J. BHABHA Esq.
Inspector General of Education in Mysore

To

[illegible] Venkataramaiah Avl. B.A.
Deputy Inspector of Schools, Southern Circle
Bangalore

SIR,

I have the honour to inform you that a piece of about two acres is attached to the Vaidhi Channarayapatna School at Nanjangud, for the purpose of teaching practical agriculture. The Hulikal Channel passes along one of the sides of the farm. The Deputy Educational Inspector of Mysore Southern Circle, reports that water from the Channel may be kindly granted by Government free, for the use of the farm, through a pipe sluice of 1" diameter at two feet above the bed level, near the 11th grade stone of the 13th mile of the Hulikal Channel. The cost of constructing a pipe sluice of the required size is Rs. 25 and

I shall be glad if Government will kindly sanction the Construction of the above pipe by the D P W and grant the supply of water free, for the Garden.

I have the honour to be,
Sir
Your Most Obedient Servant

W S Chabba
Inspector General

a

GRS 26]

Gas 112 3

File No 187-A

Serial No

Diary No of letter replied to 6733

No 9805-
Ed(287-2)B2 25/4/05

General and Rev Secretariat
( )
the 190

To

The I.G.I. of Edn
in Mysore

Date of issue 25/4/05

Signed by for H Ramanujam

His letter No 8697 dt the 5-39
28th March 1905 Requesting to
sanction to the Construction of
a pipe sluice for conveying
water from the Hulahally
Channel to the agricultural
farm attached to the Taluk
School at Nanjangud

Has the honor to invite
his attention to para 3 of
G O No 2907-15 L E-85-03 dt
the 8th February 1904 in which
the impracticability of drawing

over

Copied K24

SUBJECT

water from the 4 Hulakally channel
for irrigating the farm has been
pointed out and to request
him to be so good as to state
how it could ~~would be~~ now be possible
to draw water from the same
channel for the ~~purpose~~ same
farm and why the previous order of
Govt was not cited by him when
making the present reference By order

22/4/1905

Secretary

Kin
20/4/05

By
20/4/05
22/4/05

List of enclosures,

Copied by

Examined by

[D123 Ed(287-04)]-

Edn 81]

OFFICE OF INSPECTOR GENERAL OF EDUCATION IN MYSORE

No 38/6 Bangalore 3rd July 1905

From

H J BHABHA Esq Ina,

Inspector General of Education in Mysore

To B K. Venkatarmanadiengar Esq,
Secretary to the Government of H.H.
the Maharaja of Mysore,
General and Revenue Depts
Bangalore.

SIR

With reference to your docket No 9805 Ed No (287-04)-2 dated the 25th April 1905, inquiring how it would be practicable to draw water from the Hullahally Channel for irrigating the farm attached to the Government School at Nanjangud though the impracticability of the proposal was pointed out in Government Order No 2907-15 / 2785-03 dated the 8th February 1904 and subsequent reminders bearing Nos 10647 Ed and 11910 Ed(287/04) dated the 18th May and 27th June last, I have the honour to inform you that

as the farm is on a higher level than the bed of the channel, it is proposed to construct a pipe sluice at a height of about 2 feet from the level of the bed of the channel and conduct the water at that height from the Channel to the farm. This arrangement will ensure the required supply of water to the farm. I therefore request that the sanction applied for in my letter No 8697/539 dated the 28th March last may be accorded

I have the honour to be
Sir,
Your most obedient servant,

Wasudevayya
In Inspector General

GRS 26]

File No 287-4
Serial No 4

Diary No of letter replied to 1733

No 1179

General and Rev Secretariat
(Ed)
the 190

to

The Govt of Kerala
in Irrigation

Date of issue 31-7-05

Signed by Mr Venkatarama Iyengar

Sir,

Adverting to the correspondence ending with your letter No 38 of the 3rd July 1905 regarding the construction of a pipe sluice for drawing water from the Pullahally channel to irrigate the farm attached to the Nanjangud School, I am directed to state that the ~~Chief Engr~~ Secy to Govt in the P.W.D. has arranged for the Construction of the sluice in question by the P.W.D.

I have etc

over

Jpd Ali 297

SUBJECT
Pun 26/7/05

25/7/05
Secretary

JB 27/7/05

JB 26/7

8

Field of endeavor

Copied by

Examined by 2/9/7